

NCTN Trial Portfolios


Note: For full functionality, it is recommended that users download the PDF file, and open with a PDF reader.

Cancer trials ordered by disease area:


- **Brain**
- **Breast**
- **Gastrointestinal**
- **Genitourinary**
- **Gynecological**
- **Head and Neck**
- **Leukemia**
- **Lymphoma**
- **Myeloma**
- **Sarcoma**
- **Skin (Mainly Melanoma)**
- **Thoracic**
- **Endocrine/Neuroendocrine**
- **Adolescent and Young Adult (AYA)**

NCTN Brain Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



Cross-disease trials:



NCTN Brain Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A071401	II	Phase II Trial of SMO/ AKT/ NF2 Inhibitors in Progressive Meningiomas with SMO/ AKT/ NF2 Mutations
A071701	II	Genomically-Guided Treatment Trial in Brain Metastases
A071702	II	A Phase II Study of Checkpoint Blockade Immunotherapy in Patients with Somatic Hypermutated Recurrent Glioblastoma
A072201	II	Randomized Phase II Trial of Anti-Lag-3 and Anti-PD-1 Blockade vs. SOC in Patients with Recurrent Glioblastoma
CCTG CE.7	III	A Phase III Trial of Stereotactic Radiosurgery Compared with Whole Brain Radiotherapy (WBRT) for 5-15 Brain Metastases
EAf223	II	Phase II Glioblastoma Accelerated Biomarkers Learning Environment Trial (GABLE)
NRG-BN003	III	Phase III Trial of Observation Versus Irradiation for a Gross Totally Resected Grade II Meningioma
NRG-BN011	III	A Phase III Trial of Lomustine-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients with Methylated MGMT Promoter Glioblastoma
NRG-BN012	III	A Randomized Phase III Trial of Pre-Operative Compared to Post-Operative Stereotactic Radiosurgery in Patients with Resectable Brain Metastases
NRG-BN013	III	Phase III Trial of Single Fraction Stereotactic Radiosurgery (SRS) Versus Fractionated SRS (FSRS) for Intact Brain Metastases
NRG-BN014	III	A Phase III Randomized Clinical Trial of Proton Craniospinal Irradiation Versus Involved-Field Radiotherapy for Patients with Breast Cancer or Non-Small Cell Lung Cancer Leptomeningeal Metastasis (Radiate-LM)
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

Neoadjuvant	Post-Neoadjuvant	Adjuvant	Metastatic
<div>EA1211 (DIRECT) HER2+ Stage IIa-IIIC</div> <div>S2212 (SCARLET) TNBC T2-4/N0/M0, or T1-3/N1-2/M0</div> <div>S2206 HR+/HER2- Stage II or III</div>	<div>A012103 (OptimICE-PCR) TNBC Early-Stage, pCR post pre-op chemo + pembrolizumab</div>	<div>CCTG MA.39 HR+/HER2- Low risk; Node positive</div> <div>NRG-BR007 (DEBRA) HR+/HER2- pT1(<=2cm) pN0M0</div> <div>NRG-BR009 (OFFSET) HR+/HER2- pT1-3/N0-1/M0, Oncotype Recurrence Score ≤ 25, Premenopausal patients</div> <div>A012301 (LoTam) HR+/HER2- Early-stage, Low molecular risk, Resected tumor ≤3cm and N0, Postmenopausal pts</div> <div>NRG-BR008 (HERO) HER2+ Low risk, N0M0</div>	<div>EAY191 (ComboMATCH) <div>Sub-study: EAY191-A3 (RAS-mutant)</div><div>Sub-study: EAY191-E5 (KRAS G12C mutation)</div></div>


NCTN Breast Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A012103	III	OptimICE-PCR: De-Escalation of Therapy in Early-Stage TNBC Patients Who Achieve pCR After Neoadjuvant Chemotherapy with Checkpoint Inhibitor Therapy
A012301	III	LoTam: A Randomized, Phase III Clinical Trial of Low-Dose Tamoxifen for Selected Patients with Molecular Low-Risk Early-Stage Breast Cancer
CCTG MA.39	III	Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer
EA1211	II	Interim FDG-PET/CT for PreDICTing REsponse of HER2+ Breast Cancer to Neoadjuvant Therapy: DIRECT Trial
NRG-BR007	III	A Phase III Clinical Trial Evaluating De-Escalation of Breast Radiation for Conservative Treatment of Stage I, Hormone Sensitive, HER2-Negative, Oncotype Recurrence Score \leq 18 Breast Cancer (DEBRA)
NRG-BR008	III	A Phase III Randomized Trial of Radiotherapy Optimization for Low-Risk HER2-Positive Breast Cancer (HERO*) *Her2 Radiation Optimization (HERO)
NRG-BR009	III	A Phase III Adjuvant Trial Evaluating the Addition of Adjuvant Chemotherapy to Ovarian Function Suppression Plus Endocrine Therapy in Premenopausal Patients with pN0-1, ER-Positive/HER2-Negative Breast Cancer and an Oncotype Recurrence Score \leq 25 (OFSET)
S2206	III	Phase III Trial of Neoadjuvant Durvalumab (NSC 778709) Plus Chemotherapy Versus Chemotherapy Alone for Adults with MammaPrint Ultrahigh (MP2) Hormone Receptor (HR) Positive / Human Epidermal Growth Factor Receptor (HER2) Negative Stage II-III Breast Cancer
S2212	III	Shorter Anthracycline-Free Chemo Immunotherapy Adapted to Pathological Response in Early Triple Negative Breast Cancer (SCARLET), A Randomized Phase III Study
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial

This portfolio shows NCTN trials. For information about NCORP trials, please see: <https://ncorp.cancer.gov/find-a-study/>


NCTN Gastrointestinal Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.




NCTN Gastrointestinal Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



Cross-disease trials:




NCTN Gastrointestinal Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A021806	III	A Phase III Trial of Perioperative Versus Adjuvant Chemotherapy for Resectable Pancreatic Cancer
A022101	III	A Pragmatic Randomized Phase III Trial Evaluating Total Ablative Therapy for Patients with Limited Metastatic Colorectal Cancer: Evaluating Radiation, Ablation, and Surgery (ERASur)
A022102	III	Randomized Phase III Trial of mFOLFIRINOX +/- Nivolumab vs. FOLFOX +/- Nivolumab for First-Line Treatment of Metastatic HER2-Negative Gastroesophageal Adenocarcinoma
A022104	II	The Janus Rectal Cancer Trial: A Randomized Phase II Trial Testing the Efficacy of Triplet Versus Doublet Chemotherapy to Achieve Clinical Complete Response in Patients with Locally Advanced Rectal Cancer
A022106	II/III	Phase II/III Second-Line NABPLAGEM vs. Nab-Paclitaxel/Gemcitabine in BRCA1/2 or PALB2 Mutant Metastatic Pancreatic Ductal Adenocarcinoma (PLATINUM)
CCTG-CO32	III	The NEO-RT Trial: A Phase 3 Randomized Trial of Neoadjuvant Chemotherapy, Excision and Observation Versus ChemoRadioTherapy for Early Rectal Cancer
CCTG-NE1	II	NET RETREAT: A Phase II Study of 177 Lutetium-DOTATATE Retreatment vs. Everolimus in Metastatic/Unresectable Midgut NET
EA2174	II/III	A Phase II/III Study of Peri-Operative Nivolumab and Ipilimumab in Patients with Locoregional Esophageal and Gastroesophageal Junction Adenocarcinoma
EA2192	II	APOLLO: A Randomized Phase II Double-Blind Study of Olaparib Versus Placebo Following Adjuvant Chemotherapy in Patients with Resected Pancreatic Cancer and a Pathogenic BRCA1, BRCA2 or PALB2 Mutation
EA2222	III	A Randomized Phase III Study of Systemic Therapy with or Without Hepatic Arterial Infusion for Unresectable Colorectal Liver Metastases: The PUMP Trial
NRG-GI003	III	A Phase III Randomized Trial of Protons Versus Photons for Hepatocellular Carcinoma
NRG-GI004	III	Colorectal Cancer Metastatic dMMR Immuno-Therapy (COMMIT) Study: A Randomized Phase III Study of mFOLFOX6/Bevacizumab Combination Chemotherapy with or Without Atezolizumab or Atezolizumab Monotherapy in the First-Line Treatment of Patients with Deficient DNA Mismatch Repair (dMMR) Metastatic Colorectal Cancer
NRG-GI006	III	Phase III Randomized Trial of Proton Beam Therapy (PBT) Versus Intensity Modulated Photon Radiotherapy (IMRT) for the Treatment of Esophageal Cancer
NRG-GI008	II/III	Colon Adjuvant Chemotherapy Based on Evaluation of Residual Disease (CIRCULATE-US)
S1922	II	Randomized Phase II Selection Study of Ramucirumab and Paclitaxel Versus FOLFIRI in Refractory Small Bowel Adenocarcinoma
S2001	II	Randomized Phase II Clinical Trial of Olaparib + Pembrolizumab vs. Olaparib Alone as Maintenance Therapy in Metastatic Pancreatic Cancer Patients with Germline BRCA1 or BRCA2 Mutations
S2012	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
S2104	II	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors
S2303	II/III	Randomized Phase II/III Trial of 2nd Line Nivolumab + Paclitaxel + Ramucirumab Versus Paclitaxel + Ramucirumab in Patients with PD-L1 CPS >= 1 Advanced Gastric and Esophageal Adenocarcinoma (PARAMUNE)
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-A6	II	FOLFOX in Combination with Binimetinib as 2nd Line Therapy for Patients with Advanced Biliary Tract Cancers with MAPK Pathway Alterations: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

NCTN Genitourinary Cancer Trials Portfolio (Open as of 5/15/2025)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Genitourinary Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

Cross-disease trials:




NCTN Genitourinary Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A031701	II	A Phase II Study of Dose-Dense Gemcitabine Plus Cisplatin (ddGC) in Patients with Muscle-Invasive Bladder Cancer with Bladder Preservation for Those Patients Whose Tumors Harbor Deleterious DNA Damage Response (DDR) Gene Alterations
A031702	II	Phase II Study of Cabozantinib in Combination with Nivolumab and Ipilimumab in Rare Genitourinary Tumors
A031801	II	A Phase II Randomized Trial of Radium-223 Dichloride and Cabozantinib in Patients with Advanced Renal Cell Carcinoma with Bone Metastasis (RadiCal)
A031803	II	Phase II Trial of Intravesical Gemcitabine and MK-3475 (Pembrolizumab) in the Treatment of Patients with BCG-Unresponsive Non-Muscle Invasive Bladder Cancer
A032102	II	PREcision Diagnostics in Prostate Cancer Treatment (PREDICT)
A032103	III	MODERN: An Integrated Phase 2/3 and Phase 3 Trial of MRD-Based Optimization of Adjuvant Therapy in Urothelial Cancer
A032201	III	Short Term Intensified Pembrolizumab (KEYtruda) and Tivozanib for High-Risk Renal Cell Carcinoma - STRIKE
CCTG-PR24	III	Androgen Suppression Combined with Elective Nodal Irradiation and Dose Escalated Prostate Treatment: A Non-Inferiority, Phase III Randomized Controlled Trial of Stereotactic Body Radiation Therapy Versus Brachytherapy Boost in Patients with Unfavorable Risk Localized Prostate Cancer (ASCENDE-SBRT)
CCTG-PR26	III	A Randomized Phase III Clinical Trial for the Addition of Docetaxel to Androgen Receptor Pathway Inhibitors in Patients with Metastatic Castration Sensitive Prostate Cancer and Suboptimal PSA Response (TRIPLE-SWITCH)
EA8134	III	InPACT- International Penile Advanced Cancer Trial (International Rare Cancers Initiative Study)
EA8191	III	Phase III Study of Local or Systemic Therapy Intensification Directed by PET in Prostate Cancer Patients with Post-Prostatectomy Biochemical Recurrence (INDICATE)
EA8192	II/III	A Phase II/III Trial of MED14736 (Durvalumab) and Chemotherapy for Patients with High Grade Upper Tract Urothelial Cancer Prior to Nephroureterectomy
EA8211	III	Phase III Randomized Trial of Stereotactic Ablative Radiotherapy (SABR) for Oligometastatic Advanced Renal Carcinoma (SOAR)
EA8212	III	A Randomized Phase III Trial of Intravesical BCG Versus Intravesical Docetaxel and Gemcitabine Treatment in BCG Naïve High Grade Non-Muscle Invasive Bladder Cancer (BRIDGE)
NRG-GU008	III	Randomized Phase III Trial Incorporating Apalutamide and Advanced Imaging into Salvage Treatment for Patients with Node-Positive Prostate Cancer After Radical Prostatectomy (INNOVATE*)
NRG-GU009	III	Parallel Phase III Randomized Trials for High Risk Prostate Cancer Evaluating De-Intensification for Lower Genomic Risk and Intensification of Concurrent Therapy for Higher Genomic Risk with Radiation (PREDICT-RT*)
NRG-GU010	III	Parallel Phase III Randomized Trials of Genomic-Risk Stratified Unfavorable Intermediate Risk Prostate Cancer: De-Intensification And Intensification Clinical Trial Evaluation (GUIDANCE)
NRG-GU011	II	A Phase II Double-Blinded, Placebo-Controlled Trial of Prostate Oligometastatic Radiotherapy with or Without Androgen Deprivation Therapy in Oligometastatic Prostate Cancer (NRG Promethean)
NRG-GU012	II	Randomized Phase II Stereotactic Ablative Radiation Therapy (SABR) for Metastatic Unresected Renal Cell Carcinoma (RCC) Receiving Immunotherapy (SAMURAI)
NRG-GU013	III	The Phase III 'High Five Trial' Five Fraction Radiation For High-Risk Prostate Cancer
NRG-GU014	II	Randomized Phase II Trial of Pembrolizumab and Radiation vs. Radiation and Concurrent Chemotherapy for High-Grade T1 Bladder Cancer (PARRC Trial)
S1802	III	Phase III Randomized Trial of Standard Systemic Therapy (SST) Versus Standard Systemic Therapy Plus Definitive Treatment (Surgery or Radiation) of the Primary Tumor in Metastatic Prostate Cancer
S1931	III	Phase III Trial of Immunotherapy-Based Combination Therapy with or Without Cytoreductive Nephrectomy for Metastatic Renal Cell Carcinoma (PROBE Trial)
S1937	III	A Phase III Randomized Trial of Eribulin (NSC #707389) with or Without Gemcitabine Versus Standard of Care (Physician's Choice) for Treatment of Metastatic Urothelial Carcinoma Refractory to, or Ineligible for, Anti PD1/PDL1 Therapy
S2012	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
S2200	II	A Phase II Randomized Trial of Cabozantinib (NSC #761968) with or Without Atezolizumab (NSC #783608) in Patients with Advanced Papillary Renal Cell Carcinoma (PAPMET2)
S2210	II	A Phase II Study of Neoadjuvant Carboplatin for Localized, High Risk Prostate Cancer with Germline BRCA1/2 Mutations
S2312	III	A Phase III Study of Cabazitaxel with or Without Carboplatin in Patients with Metastatic Castrate-Resistant Prostate Cancer (mCRPC), Stratified by Aggressive Variant Signature
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

This portfolio shows NCTN trials. For information about NCORP trials, please see: <https://ncorp.cancer.gov/find-a-study/>

NCTN Gynecologic Cancer Trials Portfolio (Open as of 5/15/2025)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Gynecologic Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

Cross-disease trials:




NCTN Gynecologic Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
AGCT1531	III	A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for Standard Risk Pediatric and Adult Patients with Germ Cell Tumors
AGCT1532	III	A Randomized Phase 3 Trial of Accelerated Versus Standard BEP Chemotherapy for Patients with Intermediate and Poor-Risk Germ Cell Tumors
NRG-GY024	II	Groningen International Study on Sentinel Nodes in Vulvar Cancer (GROINSS-V) III: A Prospective Phase II Treatment Trial
NRG-GY025	II	A Randomized Phase II Trial of Nivolumab and Ipilimumab Compared to Nivolumab Monotherapy in Patients with Deficient Mismatch Repair System Recurrent Endometrial Carcinoma
NRG-GY026	II/III	A Phase II/III Study of Paclitaxel/Carboplatin Alone or Combined with Either Trastuzumab and Hyaluronidase-oysk (HERCEPTIN HYLECTA) or Pertuzumab, Trastuzumab, and Hyaluronidase-zzxf (PHESGO) in HER2 Positive, Stage I-IV Endometrial Serous Carcinoma or Carcinosarcoma
NRG-GY028	I/II	A Phase IB and Randomized Phase II Trial of Megestrol Acetate with or Without Ipatasertib in Recurrent or Metastatic Endometrioid Endometrial Cancer
NRG-GY031	I	A Phase 1B Study of Combination ATR (M1774) and BET Inhibition (ZEN003694) to Exploit ARID1A Loss in Recurrent Ovarian and Endometrial Cancer
NRG-GY032	II	A Phase II Study of Tailored Adjuvant Therapy in Pole-Mutated and p53-Wildtype/NSMP Early-Stage Endometrial Cancer (RAINBO BLUE & TAPER)
NRG-GY033	II	A Phase II Study of Androgen Receptor (AR) Inhibition by Darolutamide in Combination with Leuprolide Acetate and Exemestane in Recurrent Adult-Type Ovarian Granulosa Cell Tumor
NRG-GY036	III	A Phase III Trial of One vs. Two Years of Maintenance Olaparib, with or Without Bevacizumab, in Patients with BRCA1/2 Mutated or Homologous Recombination Deficient (HRD+) Ovarian Cancer Following Response to First Line Platinum-Based Chemotherapy
S2012	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N4	II	A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent RAS Pathway Mutant Ovarian and Endometrial Cancers: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

NCTN Head and Neck Cancer Trials Portfolio (Open as of 5/15/2025)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Head and Neck Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

Cross-disease trials:




NCTN Head and Neck Cancer Trials (Open as of 5/15/2025)


Protocol Number	Phase	Protocol Title
A092105	II	Randomized Phase 2 Study of Nivolumab and Ipilimumab with or Without Cabozantinib in Patients with Advanced Nasopharyngeal Carcinoma That Have Progressed After Platinum Treatment and Immunotherapy
A092205	III	Randomized Phase III Trial of Pembrolizumab vs. Pembrolizumab/Cetuximab in Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma with Platinum Refractory Disease
CCTG-HN11	III	SPECT-CT Guided Elective Contralateral Neck Treatment [SELECT] for Patients with Lateralized Oropharyngeal Cancer: A Phase III Randomized Controlled Trial
EA3132	II	Phase II Randomized Trial of Radiotherapy with or Without Cisplatin for Surgically Resected Squamous Cell Carcinoma of the Head and Neck (SCCHN) with TP53 Sequencing
EA3161	II/III	A Phase II/III Randomized Study of Maintenance Nivolumab Versus Observation in Patients with Locally Advanced, Intermediate Risk HPV Positive OPCA
EA3191	II	A Phase II Randomized Trial of Adjuvant Therapy with Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma with High Risk Features
EA3211	III	Phase III Randomized Trial of Immunotherapy with or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma
EA3231	III	A Randomized Phase III Study of BRAF-Targeted Therapy vs Cabozantinib in RAI-Refractory Differentiated Thyroid Cancer with BRAF V600Em
NRG-HN006	II/III	Randomized Phase II/III Trial of Sentinel Lymph Node Biopsy Versus Elective Neck Dissection for Early-Stage Oral Cavity Cancer
NRG-HN009	II/III	Randomized Phase II/III Trial of Radiation with High-Dose Cisplatin (100 mg/m ²) Every Three Weeks Versus Radiation with Low-Dose Weekly Cisplatin (40 mg/m ²) for Patients with Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN)
NRG-HN010	II	A Controlled, Randomized Phase II Trial of Docetaxel Plus Trastuzumab Versus Ado-Trastuzumab Emtansine for Recurrent, Metastatic, or Treatment-Naïve, Unresectable HER2-Positive Salivary Gland Cancer
NRG-HN011	II	A Randomized Phase II Study of Nivolumab Versus Nivolumab and BMS-986016 (Relatlimab) as Maintenance Treatment After First-Line Treatment with Platinum-Gemcitabine-Nivolumab for Patients with Epstein-Barr Virus-Associated Recurrent/Metastatic Nasopharyngeal Carcinoma (REMAIN)
RTOG-1216	II/III	Randomized Phase II/III Trial of Surgery and Postoperative Radiation Delivered with Concurrent Cisplatin Versus Docetaxel Versus Docetaxel and Cetuximab for High-Risk Squamous Cell Cancer of the Head and Neck
S2101	II	Biomarker Stratified Cabozantinib (NSC#761968) and Nivolumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Participants with Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

NCTN Leukemia Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



MyeloMATCH and its sub-trials:




NCTN Leukemia Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A041501	III	A Phase III Trial to Evaluate the Efficacy of the Addition of Inotuzumab Ozogamicin (a Conjugated Anti-CD22 Monoclonal Antibody) to Frontline Therapy in Young Adults (Ages 18-39 Years) with Newly Diagnosed Precursor B-Cell ALL
A041703	II	A Phase II Study of Inotuzumab Ozogamicin Followed by Blinatumomab for Ph-Negative, CD22-Positive B-Lineage Acute Lymphoblastic Leukemia in Newly Diagnosed Older Adults or Adults with Relapsed or Refractory Disease
EA9181	III	A Phase III Randomized Trial of Steroids + Tyrosine Kinase Inhibitor Induction with Chemotherapy or Blinatumomab for Newly Diagnosed BCR-ABL-Positive Acute Lymphoblastic Leukemia in Adults
EA9213	II	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia/Lymphoma (T-ALL/T-LBL)
MYELOMATCH	Other	MYELOMATCH, Master Screening and Reassessment Protocol (MSRP) for Tier Advancement in the NCI MyeloMATCH Clinical Trials
MM1MDS-A01	II	A Randomized Phase II Trial of Enasidenib-Based Therapies Versus Cedazuridine-Decitabine in Higher-Risk IDH2-Mutated Myelodysplastic Syndrome: A MyeloMATCH Sub-Study
MM10A-EA02	II	A Randomized Phase II Study of Venetoclax and HMA-Based Therapies for the Treatment of Older and Unfit Adults with Newly Diagnosed FLT3-Mutated Acute Myeloid Leukemia (AML): A MyeloMATCH Treatment Trial
MM10A-S03	II	A Randomized Phase II Trial of ASTX727 and Venetoclax Compared with ASTX727, Venetoclax, and Enasidenib for Newly Diagnosed Older Adults with IDH2 Mutant Acute Myeloid Leukemia: A MyeloMATCH Substudy
MM1YA-CTG01	II	A Measurable Residual Disease (MRD) Focused, Phase II Study of Venetoclax Plus Chemotherapy for Newly Diagnosed Younger Patients with Intermediate Risk Acute Myeloid Leukemia: A Tier 1 MYELOMATCH Clinical Trial
MM1YA-S01	II	A Randomized Phase II Study Comparing Cytarabine + Daunorubicin (7 + 3) vs (Daunorubicin and Cytarabine) Liposome, Cytarabine + Daunorubicin + Venetoclax, Azacitidine + Venetoclax, and (Daunorubicin and Cytarabine) Liposome + Venetoclax in Patients Aged 59 or Younger Who are Considered High-Risk (Adverse) Acute Myeloid Leukemia As Determined by MYELOMATCH; A MYELOMATCH Clinical Trial
S1905	II	A Phase I/II Study of AKR1C3-Activated Prodrug OBI-3424 (OBI-3424) In Patients with Relapsed/Refractory T-Cell Acute Lymphoblastic Leukemia (T-ALL)/T-Cell Lymphoblastic Lymphoma (T-LBL)
S1925	III	Randomized, Phase III Study of Early Intervention with Venetoclax and Obinutuzumab Versus Delayed Therapy with Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): EVOLVE CLL/SLL Study

NCTN Lymphoma Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.




NCTN Lymphoma Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A051901	I	Phase I Trial of Methotrexate, Rituximab, Lenalidomide, and Nivolumab (Nivo-MR2) Induction Followed by Lenalidomide and Nivolumab Maintenance in Primary CNS Lymphoma
A051902	II	A Randomized Phase II Study of CHO(E)P vs CC-486-CHO(E)P vs Duvelisib-CHO(E)P in Previously Untreated CD30 Negative Peripheral T-Cell Lymphomas
A052101	III	A Randomized Phase 3 Trial of Continuous vs. Intermittent Maintenance Therapy with Zanubrutinib as Upfront Treatment in Older Patients with Mantle Cell Lymphoma
ANHL1931	III	A Randomized Phase 3 Trial of Nivolumab (NSC# 748726) in Combination with Chemo-Immunotherapy for the Treatment of Newly Diagnosed Primary Mediastinal B-Cell Lymphoma
AHOD2131	III	A Randomized Phase 3 Interim Response Adapted Trial Comparing Standard Therapy with Immuno-oncology Therapy for Children and Adults with Newly Diagnosed Stage I and II Classic Hodgkin Lymphoma
EA9213	II	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia/Lymphoma (T-ALL/T-LBL)
EA4232	III	A Randomized Phase III Study to Evaluate Benefits of Autologous Stem Cell Transplant in Patients with Peripheral T Cell Lymphoma That Achieved a First Complete Remission (CR1) Following Induction Therapy (PTCL-STAT)
S1905	II	A Phase I/II Study of AKR1C3-Activated Prodrug OBI-3424 (OBI-3424) In Patients with Relapsed/Refractory T-Cell Acute Lymphoblastic Leukemia (T-ALL)/T-Cell Lymphoblastic Lymphoma (T-LBL)
S1918	II/III	A Phase II/III Randomized Study of R-MiniCHOP with or Without CC-486 (Oral Azacitidine) in Participants Age 75 Years or Older with Newly Diagnosed Diffuse Large B Cell Lymphoma, Grade IIIB Follicular Lymphoma, Transformed Lymphoma, and High-Grade B-Cell Lymphomas with MYC AND BCL2 and/or BCL6 Rearrangements
S1925	III	Randomized, Phase III Study of Early Intervention with Venetoclax and Obinutuzumab Versus Delayed Therapy with Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): EVOLVE CLL/SLL Study
S2005	II	A Phase II Randomized Study of Ibrutinib and Rituximab with or Without Venetoclax in Previously Untreated Waldenström's Macroglobulinemia (WM) / Lymphoplasmacytic Lymphoma (LPL)
S2114	II	A Randomized Phase II Trial of Consolidation Therapy Following CD19 CAR T-Cell Treatment For Relapsed/Refractory Large B-Cell Lymphoma or Grade IIIB Follicular Lymphoma
S2207	II	Randomized Phase II Study of the Addition of Targeted Therapeutic Agents to Tafasitamab-Based Therapy in Non-Transplant-Eligible Patients with Relapsed/Refractory Large B-Cell Lymphoma
S2308	III	Randomized Phase III Study of Mosunetuzumab vs. Rituximab for Low Tumor Burden Follicular Lymphoma

NCTN Myeloma Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.




NCTN Myeloma Trials (Open as of 5/15/2025)


Protocol Number	Phase	Protocol Title
A062101	I/II	A Phase I/II Study of the Safety, Tolerability and Efficacy of Belantamab Mafodotin (GSK2857916) in Combination with Iberdomide (CC-220)/Dexamethasone Versus Belantamab Mafodotin (GSK2857916)/Dexamethasone in Relapsed Refractory Multiple Myeloma
A062102	II	Randomized Phase 2 Study of Iberdomide Maintenance Therapy Following Idecabtagene Vicleucel CAR-T in Multiple Myeloma Patients
EAA173	III	Daratumumab to Enhance Therapeutic Effectiveness of Revlimid in Smoldering Myeloma (DETER-SMM)
EAA181	III	Effective Quadruplet Utilization After Treatment Evaluation (EQUATE): A Randomized Phase 3 Trial for Newly Diagnosed Multiple Myeloma Not Intended for Early Autologous Transplantation
S2209	III	A Phase III Randomized Trial for Newly Diagnosed Multiple Myeloma (NDMM) Patients Considered Frail or in a Subset of "Intermediate Fit" Comparing Upfront Three-Drug Induction Regimens Followed by Double or Single-Agent Maintenance
S2213	III	A Phase III, Randomized Study of Daratumumab, Cyclophosphamide, Bortezomib and Dexamethasone (Dara-VCD) Induction Followed by Autologous Stem Cell Transplant or Dara-VCD Consolidation and Daratumumab Maintenance in Patients with Newly Diagnosed AL Amyloidosis

NCTN Sarcoma Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



Cross-disease trials:




NCTN Sarcoma Trials (Open as of 5/15/2025)


Protocol Number	Phase	Protocol Title
AOST2031	III	A Phase 3 Randomized Controlled Trial Comparing Open vs Thoracoscopic Management of Pulmonary Metastases in Patients with Osteosarcoma
AOST2032	II/III	A Feasibility and Randomized Phase 2/3 Study of the VEGFR2/MET Inhibitor Cabozantinib in Combination with Cytotoxic Chemotherapy for Newly Diagnosed Osteosarcoma
EA7211	III	A Randomized Phase III Study of Neoadjuvant Chemotherapy Followed by Surgery Versus Surgery Alone for Patients with High Risk RetroPeritoneal Sarcoma (STRASS 2)
EA7222	III	A Randomized Phase III Trial of Doxorubicin + Pembrolizumab Versus Doxorubicin Alone for the Treatment of Undifferentiated Pleomorphic Sarcoma (UPS) and Related Poorly Differentiated Sarcomas
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

NCTN Skin Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



Cross-disease trials:




NCTN Skin Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A091903	II	A Randomized Phase II Trial of Adjuvant Nivolumab with or Without Cabozantinib in Patients with Resected Mucosal Melanoma
EA6141	II/III	Randomized Phase II/III Study of Nivolumab Plus Ipilimumab Plus Sargramostim Versus Nivolumab Plus Ipilimumab in Patients with Unresectable Stage III or Stage IV Melanoma
EA6192	II	A Phase II Study of Biomarker Driven Early Discontinuation of Anti-PD-1 Therapy in Patients with Advanced Melanoma (PET-Stop)
NRG-HN014	III	Randomized Phase III Trial of Neoadjuvant Immunotherapy with Response-Adapted Treatment Versus Standard-of-Care Treatment for Resectable Stage III/IV Cutaneous Squamous Cell Carcinoma
S2015	III	Melanoma Margins Trial (MelMarT): A Phase III, Multi-Centre, Multi-National Randomised Control Trial Investigating 1cm v 2cm Wide Excision Margins for Primary Cutaneous Melanoma
S2101	II	Biomarker Stratified CaboZantinib (NSC#761968) and NivOlumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Participants with Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

NCTN Thoracic Cancer Trials Portfolio (Open as of 5/15/2025)


Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Thoracic Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.

Cross-disease trials:




NCTN Thoracic Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A021901	II	Randomized Phase II Trial of Lutetium Lu 177 Dotatate Versus Everolimus in Somatostatin Receptor Positive Bronchial Neuroendocrine Tumors
A081801	III	Integration of Immunotherapy Into Adjuvant Therapy for Resected NSCLC: ALCHEMIST Chemo-IO
A082002	II/III	A Randomized Phase II/III Trial of Modern Immunotherapy Based Systemic Therapy with or Without SBRT for PD-L1-Negative, Advanced Non-Small Cell Lung Cancer
A082101	II	Multimodality Therapy with Immunotherapy in Stage I-IIIa Sarcomatoid Mesothelioma
A092001	II	Phase 2 Randomized Trial of Neoadjuvant or Palliative Chemotherapy with or Without Immunotherapy for Peritoneal Mesothelioma
CCTG-BR38	III	Consolidative Use of Radiotherapy to Block (CURB2) Oligoprogression in Participants with Metastatic Non-Small-Cell Lung Cancer A Randomized Phase 3 Trial
CTIU2317-A082304-S2402	III	Perioperative Versus Adjuvant Systemic Therapy in Patients with Resectable Non-Small Cell Lung Cancer - PROSPECT LUNG
EA5162	II	Phase II Study of AZD9291 (Osimertinib) in Advanced NSCLC Patients with Exon 20 Insertion Mutations in EGFR
EA5182	III	Randomized Phase III Study of Combination AZD9291 (Osimertinib) and Bevacizumab Versus AZD9291 (Osimertinib) Alone as First-Line Treatment for Patients with Metastatic EGFR-Mutant Non-Small Cell Lung Cancer (NSCLC)
EA5221	III	A Randomized Phase III Trial of Chemo-Immunotherapy vs Immunotherapy Alone for the Vulnerable Older Adult with Advanced Non-Small Cell Lung Cancer: The ACHIEVE Study
LUNGMAP	Other	A Master Protocol to Evaluate Biomarker-Driven Therapies and Immunotherapies in Previously-Treated Non-Small Cell Lung Cancer (Lung-MAP Screening Study)
NRG-LU007	II/III	Randomized Phase II/III Trial of Consolidation Radiation + Immunotherapy for ES-SCLC: RAPTOR Trial
NRG-LU008	III	Phase III Prospective Randomized Trial of Primary Lung Tumor Stereotactic Body Radiation Therapy Followed by Concurrent Mediastinal Chemoradiation for Locally-Advanced Non-Small Cell Lung Cancer
S1800E	II/III	A Randomized Phase II/III Study of Docetaxel and Ramucirumab with or Without Cemiplimab (REGN2810) for Participants Previously Treated with Platinum-Based Chemotherapy and Immunotherapy for Stage IV or Recurrent Non-Small Cell Lung Cancer (Lung-MAP Non-Matched Sub-Study)
S1827	III	A Randomized Phase III Trial of MRI Surveillance with or Without Prophylactic Cranial Irradiation (PCI) in Small-Cell Lung Cancer
S1900G	II	A Randomized Phase II Study of INC280 (Capmatinib) Plus Osimertinib with or Without Ramucirumab in Participants with EGFR-Mutant, MET-Amplified Stage IV or Recurrent Non-Small Cell Lung Cancer (Lung-MAP Sub-Study)
S1900J	II	A Phase II Study of Amivantamab SC (Subcutaneous) in Participants with MET Amplification-Positive Stage IV or Recurrent Non-Small Cell Lung Cancer (LUNG-MAP SUB-STUDY)
S1900K	II	A Randomized Phase II Study of Tepotinib with or Without Ramucirumab in Participants with MET Exon 14 Skipping Positive Stage IV or Recurrent Non-Small Cell Lung Cancer (LUNG-MAP SUB-STUDY)
S1933	II	A Pilot Study of Hypofractionated Radiotherapy Followed by Atezolizumab Consolidation in Stage II or III NSCLC Patients with Borderline Performance Status
S2414	III	A Randomized Phase III Trial Incorporating Pathologic Complete Response in Participants with Early Stage Non Small Cell Lung Cancer to Optimize Immunotherapy in the Adjuvant Setting (INSIGHT)
EAY191	Other	Molecular Analysis for Combination Therapy Choice (ComboMATCH)
EAY191-A3	II	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial
EAY191-E5	II	A Randomized Phase II Study of AMG 510 (Sotorasib) with or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
EAY191-N5	II	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination with Palbociclib, a CDK4/6 Inhibitor, in Patients with HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
EAY191-S3	II	Phase 2 Study of Paclitaxel (NSC #673089) + Ipatasertib (NSC #781451) in Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors: A ComboMATCH Treatment Trial

NCTN Endocrine/Neuroendocrine Cancer Trials Portfolio (Open as of 5/15/2025)

Each far right box includes the NCTN protocol number with a hyperlink to the associated ClinicalTrials.gov webpage. Click on it to view the protocol title and study information.



NCTN Endocrine/Neuroendocrine Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A021804	II	A Prospective, Multi-Institutional Phase II Trial Evaluating Temozolomide vs. Temozolomide and Olaparib for Advanced Pheochromocytoma and Paraganglioma
A021901	II	Randomized Phase II Trial of Lutetium Lu 177 Dotatate Versus Everolimus in Somatostatin Receptor Positive Bronchial Neuroendocrine Tumors
CCTG-NE1	II	NET RETREAT: A Phase II Study of 177 Lutetium-DOTATATE Retreatment vs. Everolimus in Metastatic/Unresectable Midgut NET
S2012	II/III	Randomized Phase II/III Trial of First Line Platinum/Etoposide with or Without Atezolizumab (NSC#783608) in Patients with Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinomas (NEC)
S2104	II	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors

NCTN Adolescent to Young Adult (AYA) Cancer Trials Portfolio (Updated on 5/15/2025)

Click on trial number to go to the associated ClinicalTrials.gov webpage, to view the protocol title and the study information.

Newly Diagnosed Disease

Osteosarcoma (Pulmonary Mets)

AOST2031

Osteosarcoma (High Grade)

AOST2032

Classical Hodgkin Lymphoma

AHOD2131

Invasive breast carcinoma (HR+/HER2-)

NRG-BR009 (OFSET)*^

Germ Cell Tumors

AGCT1531

AGCT1532

Precursor B-Lymphoblastic Leukemia (B-Cell ALL)

A041501*

Mediastinal (thymic) large B-cell lymphoma

ANHL1931

Recurrent Disease

Precursor B-Lymphoblastic Leukemia (B-Cell ALL)

AALL1821

Osteosarcoma (Pulmonary Mets)

AOST2031

Rare: Pheochromocytoma (adrenal)

A021804

Precursor T-Lymphoblastic Leukemia/ Lymphoma (T-Cell ALL/LBL) - MRD

EA9213

Precursor T-Lymphoblastic Leukemia/ Lymphoma (T-Cell ALL/LBL)

S1905

Legend by Disease Types

Lime Green =
Osteosarcoma

Orange =
Hodgkin
Lymphoma

Purple =
Breast

Yellow =
Germ Cell
Tumors

Blue =
B-Cell ALL

Gray =
PMBCL

Light Pink =
Rare tumors

Light Blue =
T-Cell ALL /
T-Cell LBL

Note: * NRG-BR009 and A041501: Age 18 years and older; ^ NRG-BR009: COG is not directly participating.

NCTN Adolescent to Young Adult (AYA) Cancer Trials (Open as of 5/15/2025)

Protocol Number	Phase	Protocol Title
A021804	II	A Prospective, Multi-Institutional Phase II Trial Evaluating Temozolomide vs. Temozolomide and Olaparib for Advanced Pheochromocytoma and Paraganglioma
A041501	III	A Phase III Trial to Evaluate the Efficacy of the Addition of Inotuzumab Ozogamicin (a Conjugated Anti-CD22 Monoclonal Antibody) to Frontline Therapy in Young Adults (Ages 18-39 Years) with Newly Diagnosed Precursor B-Cell ALL
AALL1821	II	A Phase 2 Study of Blinatumomab (NSC# 765986) in Combination with Nivolumab (NSC # 748726), a Checkpoint Inhibitor of PD-1, in B-ALL Patients Aged ≥ 1 to < 31 Years Old with First Relapse
AGCT1531	III	A Phase 3 Study of Active Surveillance for Low Risk and a Randomized Trial of Carboplatin vs. Cisplatin for Standard Risk Pediatric and Adult Patients with Germ Cell Tumors
AGCT1532	III	A Randomized Phase 3 Trial of Accelerated Versus Standard BEP Chemotherapy for Patients with Intermediate and Poor-Risk Germ Cell Tumors
ANHL1931	III	A Randomized Phase 3 Trial of Nivolumab (NSC# 748726) in Combination with Chemo-Immunotherapy for the Treatment of Newly Diagnosed Primary Mediastinal B-Cell Lymphoma
AHOD2131	III	A Randomized Phase 3 Interim Response Adapted Trial Comparing Standard Therapy with Immuno-oncology Therapy for Children and Adults with Newly Diagnosed Stage I and II Classic Hodgkin Lymphoma
AOST2031	III	A Phase 3 Randomized Controlled Trial Comparing Open vs Thoracoscopic Management of Pulmonary Metastases in Patients with Osteosarcoma
AOST2032	II/III	A Feasibility and Randomized Phase 2/3 Study of the VEGFR2/MET Inhibitor Cabozantinib in Combination with Cytotoxic Chemotherapy for Newly Diagnosed Osteosarcoma
EA9213	II	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia/Lymphoma (T-ALL/T-LBL)
NRG-BR009	III	A Phase III Adjuvant Trial Evaluating the Addition of Adjuvant Chemotherapy to Ovarian Function Suppression Plus Endocrine Therapy in Premenopausal Patients with pN0-1, ER-Positive/HER2-Negative Breast Cancer and an Oncotype Recurrence Score ≤ 25 (OFSET)
S1905	I/II	A Phase I/II Study of AKR1C3-Activated Prodrug OBI-3424 (OBI-3424) In Patients with Relapsed/Refractory T-Cell Acute Lymphoblastic Leukemia (T-ALL)/T-Cell Lymphoblastic Lymphoma (T-LBL)